

---

AMENDMENTS TO THE CLAIMS

---

1. (currently amended) A print media for use in an imaging device for personal or office use, the print media comprising:
  - a first sheet having a printable surface and a second surface opposite the printable surface, wherein the first sheet is ~~deformable about a plane of the printable surface~~ rubber; and
  - a second sheet adhered to the second surface of the first sheet, wherein the second sheet is rigid about the plane of the printable surface;wherein the first sheet is separable from the second sheet.
2. (original) The print media of claim 1, wherein the second sheet is adhered to the second surface of the first sheet using a pressure sensitive adhesive interposed between the second sheet and the second surface of the first sheet.
3. (original) The print media of claim 2, wherein the pressure sensitive adhesive is configured to remain on the second surface of the first sheet upon separation of the first and second sheets.
4. (original) The print media of claim 3, further comprising a release agent on the second sheet interposed between the pressure sensitive adhesive and the second sheet.
5. (original) The print media of claim 2, wherein the pressure sensitive adhesive is configured to remain on the second sheet upon separation of the first and second sheets.
6. (withdrawn) The print media of claim 1, wherein the second sheet is adhered to the second surface of the first sheet using a dry adhesive interposed between the second sheet and the second surface of the first sheet.

7. (withdrawn) The print media of claim 1, wherein the second sheet is adhered to the second surface of the first sheet by static forces.
8. (original) The print media of claim 1, wherein the first sheet comprises an elastic material selected from the group consisting of rubbers and elastomers.
9. (original) The print media of claim 1, wherein the printable surface contains a surface treatment.
10. (original) The print media of claim 9, wherein the surface treatment is selected from the group consisting of a corona treatment of the printable surface and a print coating applied to the printable surface.
11. (currently amended) The print media of claim 1, wherein the first ~~substrate~~sheet has a characteristic selected from the group consisting of opaque, translucent and transparent.
- A/  
cont 12. (original) The print media of claim 1, wherein the second sheet comprises a material selected from the group consisting of paper, high-density polyolefins and polyesters.
13. (currently amended) A print media for use in an imaging device for personal or office use, the print media comprising:  
a carrier layer;  
an ~~elastomeric layer~~rubber sheet; and  
an adhesive layer interposed between the carrier layer and the ~~elastomeric layer~~rubber sheet;  
wherein a side of the ~~elastomeric layer~~rubber sheet opposite the adhesive layer is adapted to accept marking material; and

---

wherein either the carrier layer or the ~~elastomeric layer~~rubber sheet is adapted to release from the adhesive layer.

14. (original) The print media of claim 13, wherein the adhesive layer comprises a pressure-sensitive adhesive and wherein the carrier layer is adapted to release from the adhesive layer.
15. (withdrawn) The print media of claim 13, wherein the adhesive layer comprises a dry adhesive.
16. (withdrawn) The print media of claim 15, wherein the elastomeric layer is adapted to release from the adhesive layer.
17. (withdrawn) A method of generating a stretchable image, comprising:  
generating image data;  
generating an output image on a printable surface of a print media in response to the image data, wherein the print media comprises an elastomeric sheet having the printable surface and wherein the elastomeric sheet is adhered to a carrier layer; and  
separating the elastomeric sheet from the carrier layer.
18. (withdrawn) The method of claim 17, wherein the elastomeric sheet is adhered to the carrier layer using an adhesive layer and wherein the adhesive layer is configured to remain on the elastomeric sheet upon separating the elastomeric sheet from the carrier layer.
19. (withdrawn) The method of claim 17, wherein generating the image data is performed on a personal computer and generating the output image is performed on an imaging device in communication with the personal computer, and wherein the imaging device is of a type selected from the group consisting of an inkjet printer, a laser printer, a plotter and a multi-function imaging device.

AI  
cont.

20. (withdrawn) The method of claim 17, wherein generating the image data is performed on an imaging device and generating the output image is performed on the same imaging device.

A1  
cont.

---